

vitOrgan

INDICATIONS AND TREATMENT SCHEDULES



INDEX:

Introduction	2 - 3
Indications from A to Z	4 - 21
Treatment schedule, Neutral	22 - 23
Treatment schedule, ALLERGOSTOP® I	24
Treatment schedule, ALLERGOSTOP® II	25
Explanation of Abbreviations	26
List of Preparations	27 - 32

INTRODUCTION

In **vitOrgan therapy**, cellular components are obtained from bovine organs by patented methods of preparations.

vitOrgan dilutions are available in three strengths, strength I containing 10^{12} g dry substances/ml, strength II containing 10^9 g dry substances/ml and strength III containing 10^6 g dry substances/ml. An original pack of the dilutions contains 2 ampoules of strength I (yellow label), 2 ampoules of strength II (blue label) and 1 ampoule of strength III (red label).

The dilutions are used not only for therapeutical purposes, but also as a tolerogenic pretreatment for the subsequent administration of the dry substances or SOL preparations. Routes of administration are: subcutaneous, intracutaneous, intramuscular, intraarticular, and intravenous.

In some dilutions the active substances are incorporated in liposomes.

Each ampoule of SOL preparations and dry substances contains 15 mg of the prepared biosubstance. They are injected intramuscularly or, in the case of SOL preparations also intravenously.

Note: The interval between the injections should not exceed four days!

A number of dilutions is available as a lingual preparation which should be taken three times daily (10-20 drops) on injection-free days or given as a follow-up treatment. The dilutions may also be administered perlingual[^] or per inhalationem.

The enteric-coated **NeyGeront®** Vital Capsules are taken once or twice daily.

NeyParadent® Liposomes and the Dental Cream Neydent® are recommended for the treatment of gingival diseases.

Eye drops **Conjunctisan® A** and **Conjunctisan® B** are available in one way vials.

Neydin® Ointments are used for inflammatory (Neydin® M) and degenerative (Neydin® F) skin diseases.

Treatments with **ALLERGOSTOP® I** resp. **ALLERGOSTOP® II** are modified autohaemotherapies.

A **Countersensitisation (ALLERGOSTOP® I)** is indicated in the case of allergies and auto-immune diseases. The patient's own antibodies are sterically modified and re-injected in increasing concentrations. The antibodies then act as antigens, thus inducing the formation of anti-antibodies which in turn have an inhibitory effect on the synthesis of the original antibodies. Treatment is usually started with a concentration of 10^{12} and completed with a concentration of 10^{-4} . Concentration 10^{-2} is used for focusing and immunoprovocation.

In case of the **hydrolysate (ALLERGOSTOP® II)** which is used to support ALLERGOSTOP® I in the treatment of auto-immunopathies, the patient's own antibodies are enzymatically split into fragments F_{ab} and F_c and re-injected. The antibody fragment F_{ab} blocks the linkage point at the antigen for further pathological AG-AB reactions (masking), whereas fragment F_c inhibits further activation of the complement system.

	Revitorgan®-Dilutions		SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP®H	Revitorgan® Adjuvant Preparations
	1st therapeutic step	2nd therapeutic step				
Ablatio retinae	11 + 52 + 59	29 + 58 + 69	11.52,58	61,69,96		Conjunctisan® A Eye Drops
Achondroplasia during the period of growth	43 + 64	68 + 39 + 51	9.39.43	29,69,97		NeyGeront® Vital Capsules
Acne caused by nutritional allergy	55 + 61 + 78	47 + 20 + 5	47,61,29	29.61,98	I	Ney d in® F
Acne rosacea	59 + 5 + 26	55 + 29 + 20	29,61	29.96,61	I	Neydin® M
Acne vulgaris	5 + 55 + 61	29 + 17	17.61,29	29.60,61	I	Nevdin® F
Adiposis hepatica	14 + 26 + 63	29 + 55 + 61	26.47,61	61,63,65		
Adipositas	69 + 71	17 + 51 + 30	4,69	60,69,96		
Adipositas	69 + 71	16 + 51 + 30	4,69	35.69.96		
Adnexitis, recurrent	17 + 29	55 + 65	17.55,65	29.65,60	I	
Adynamia, weariness	69 + 71	29 + 96	29,69,96	29,69,96		NeyGeront®-Vital Capsules
Agranulocytosis, idiopathic	28 + 76 + 77	26 + 39 + 29	29.39.45	29,61,69	I	
Allergie dermatosis	78 + 55 + 20	5 + 65 + 29	29,65	29.65,98	I	Neydin® M
Allergy, polyvalent	78 + 55 + 20	5 + 44 + 29	78,29	29,61,98	I	Neydin® M Conjunctisan® B
Alopecia	20 + 73 + 30	5 + 17 + 51	17.73,65	29,61.98	I	NeyGeront® Vit. Caps.
Alopecia, androgen.	5 + 17	21 + 65 + 51	17,21,65	60,61,69	I	NeyGeront® Vit. Caps.

	Revitorgan®-Dilutions		SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP® I ALLERGO- STOP® II	Revitorgan' Adjuvant Preparations
	1stthera- peut. step	2ndthera- peut. step				
Alveolitis, exogetic	78 + 55 + 65	59 + 29	65	29,61,98	I	
Alzheimers disease	69 + 96	11 + 61 + 64	11,96,64,69	29,64,69	I	NeyGeront® Vit. Caps.
Amenorrhoea	17 + 60	51+55	17,60,18	29,60,69		
Amyloidosis	26 + 73 + 63	47 + 61	26,47,63	29,61		
Amytrophe lateral sclerosis	69 + 96	11+13 (PCL I)	-	65,69,96	I	NeyGeront® Vit. Caps.
Anacidity	78 + 55	65 + 61	55,61	29,61,65	I	
Anaemia (auto-immune haematolytic. idio- pathic)	77 + 78 + 61	29 + 39 + 28	45,61,39	29,61,69	I	
Angina pectoris	6 + 61+63	98 + 59 + 96	98,61,96	61,63,96		NeyGeront® Vital Capsules
Anqina tonsillarlis	73 + 76	29 + 55	55,73	29,61,65	I	
Anorexia nervosa	14 + 23 + 26	55 + 61 + 98	98,61	61,98		NeyGeront® Vital Capsules
Aphthae	29 + 55	61+73 + 65	29,73,65	29,64,65	I	NeyParadent® Liposomes Neydent® Dental Cream
Apoplexy	59 + 11 + 70	96 + 97 + 29	96,59,97,70	61,96,97		NeyGeront®- Vital Capsules
Arteriosclerosis, -Prophylaxis	61+29 + 59	11+77 + 96	61,29,96,59	29,61,69		NeyGeront®- Vital Capsules
Arteritis temporalis	78 + 29 + 58	59 + 96 + 11	59,96,29	29,68,96	I II	membranoSOME® Dilutions

	Revitorgan®-Dilutions 1stthera- peut. step	2nd therapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP®II	Revitorgan® Adjuvant Preparations
Arthritis psoriatic	78 + 43 + 55	68 + 5 + 29	65,68,29	61,68,69	I II	membranoSOME® Dilutions NeyArthros® Liposomes
Arthritis, rheumatoid	78 + 43	68 + 96	96,68	68,65,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Arthritis, uratic	7 + 43 + 61	63 + 68	61,63,68	61,63,68	I II	NeyArthros® Liposomes
Arthrosis	78 + 43	68 + 96	68,43	65,96,68	I II	NeyArthros® Liposomes
Asbestosis	44 + 73 + 66	2 + 76 + 70	66,44,73	29,61,66		NeyGeront®-Vital Capsules
Asthma, bronchial	78 + 55	44 + 65	65	61,65,96	I	
Behcet's Syndrome	29 + 55 + 69	73 + 58 + 68	4,55,29,68	29,68,65	I	NeyArthros® Liposomes NeyGeront® Vital Capsules
Bekhterev's disease	78 + 43 + 29	68 + 96	68,29	68,69,96	I II	NeyParadent® Liposomes
Biliary cirrhosis	26 + 78	55 + 61 + 29	29,47,61	61,65,29	I	NeyGeront® Vital Capsules
Blepharitis	73 + 55 + 58	5 + 37 + 29	29,58	29,61,65	I	Conjunctisan® B Eye Drops

	Revitorgan® "Istthera- peut. step	2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP® I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Bone fracture, supporting	29 + 71 + 43	68 + 77	9,29,43	29,61,68		NeyArthros® Liposomes
Brachialgia	78 + 43 + 13	68 + 96	68,96,43	96,68,69	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Bronchiectasis	44 + 65 + 77	2 + 6 + 96	44,65,96	29,65,96	I	
Bronchitis, chronic, asthmoid	78 + 55 + 65	2 + 29 + 44	29,65	61,65,96	I	Conjunctisan® B
Bronchopneumonia, recurrent	29 + 55	44 + 65	44,65	29,61,65	I	
Buerger's disease	3 + 77 + 78	20 + 65 + 59	4,65,59	29,61,65	I II	NeyGeront® Vital Capsules
Bursitis, recurrent	78 + 43	68 + 65	68,65	29,65,96	I	NeyArthros® Liposomes
Callus formation, delayed, retarded	29 + 71 + 43	68 + 77	9,29,43	29,61,68		NeyArthros® Liposomes
Candida-induced colpitis, -vulvitis	51 + 17 + 29	55 + 73 + 76	29,18,73	29,60,65	I	
Cardiac insufficiency	6 + 61 + 59	63 + 96	6,59,96	29, 61,96		NeyGeront® Vital Capsules
Cardiomyopathy	6 + 29 + 70	61 + 96	70,61,96	61,63,69	I	NeyGeront® Vital Capsules
Cataract	14 + 61 + 69	40 + 58	69,61,58	61,63,29		Conjunctisan® A Eye Drops

	Revitorgan®-Dilutions "Isttherapeut. step 2nd therapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP- I ALLERGO-STOP®II	Revitorgan - Adjuvant Preparations
Cataracta senilis	61 + 52	40 + 58	61,58,40	29,61,63	Conjuntisan® A Eye Drops
Cellulite	5 + 73	61+72	4,5,61	29.61.97	Neydin® F
Cerebral infarct	11 + 70 + 59	29 + 96 + 69	11,59,69,70	61.96.97	NeyGeront® Vital Capsules
Cerebral insultus	59 + 11+70	29 + 96 + 97	96,59,97,70	61,96.97	NeyGeront® Vital Capsules
Cerebro-organic psycho Syndrome in cerebro-vascular insufficiency	61+69 + 96	11+59 + 77	11,69,96	61,69,96	NeyGeront® Vital Capsules
Cerebrovascular insufficiency	19 + 96 + 61	11+59 + 77	11,41,59,96	96,61,63	NeyGeront® Vital Capsules
Cervical spine Syndrome	78 + 43 + 47	68 + 96	47,68	61,65,69	NeyGeront® Vital Capsules NeyArthros® Liposomes
Cervical Syndrome	78 + 43	68 + 96	96,68	61,68.96	I II NeyGeront® Vital Capsules NeyArthros® Liposomes
Cervicobrachial Syndrome	78 + 43	68 + 96	43,68	61,69, 96	I
CHD (coronary heartdisease)	6 + 23 + 70	61 + 96	61,96,70	61,98,96	NeyGeront® Vital Capsules
Cholecystopathy/ cholelithiasis	14 + 61	26 + 55 + 53	61,26	29,61	I

	Revitorgan® Ist therapeu- t. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions orDry Substances	Lingual Prepara- tions	ALLERGO- STOP- I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Chondrodystrophia fetalis	43 + 77	39 + 68	9,39,43,68	29,68,97		NeyGeront® Vital Capsules NeyArthros® Liposomes
Chondrosis intervertebralis	78 + 43 + 72	68 + 96	4, 43,68, 73	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Chorea major	11+23 + 69	96 + 98	23,11,98	29,98,96		
Chorioretinitis	78 + 52 + 20	58 + 29	52,58,59	29,65,69	I	Conjunctisan® B Eye Drops
Chronic respiratory Syndrome	78 + 55 + 96	44 + 65	65,44,96	61,65,96	I	
Claudicatio intermittens	26 + 77	70 + 96 + 59	59, 96	61,63,96		NeyGeront® Vital Capsules
Climacteric symptoms	17 + 23 + 98	26 + 51+60	17,18,60,98	60,61,69		NeyGeront® Vital Capsules
Coeliac disease	29 + 61+78	55 + 39 + 20	61,29,55	29,61	poss.I	
Cold aggfutinaemia	77 + 78 + 26	96 + 29 + 20	96,29	29,65,96	I	Neydin® F
Cold, recurrent	29 + 44 + 65	55 + 73	29,65,73	29,61,65	I	Conjunctisan® B Eye Drops
Colitis ulcerosa	55 + 61 + 65	78 + 26	2,61,65	61,65,69	I	membranoSOME® Dilutions
Colon irritabile	23 + 47 + 61	65 + 98	47,98,61	61,65,98	I	
Colpitis	51+17	55 + 73	29,55,17	29,60,65	I	
Condylomataaccuminata	5 + 73	29 + 55	73,29	29,61,65	1	
Conjunctivitis	37 + 73	58 + 65	37,58,65	29,65,69	I	Conjunctisan® B Eye Drops

	Revitorgan® 1st therapeutic step	®-Dilutions 2nd therapeutic step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan® Adjuvant Preparations
Contact dermatitis	78 + 55 + 20	5 + 65 + 29	29,65	29,61,98	I	Neydin® M
Cor pulmonale	44 + 6 + 61	2 + 96	96,61,44	61,63,96		NeyGeront® Vital Capsules
Corneal abscesses	58 + 73	29 + 37	29,58,37	29,61,65	I	Conjuntisan® A Eye Drops
Coronary insufficiency. -sclerosis	6 + 29 + 70	61 + 96 + 59	59,61,96	61,63,96		NeyGeront® Vital Capsules
Corpus luteum insufficiency	17 + 51 + 60	21 + 71	48,60,21	60,61,96		
Coxarthrosis	78 + 43	68 + 96	47,68,43	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Crusta lactea	78 + 55	5 + 20 + 65	47	29,98,65	I	Neydin® M
Cystic fibrosis	14 + 29	61 + 55	29,61	29,61,65	I	
Cystitis, recurrent	29 + 55	73 + 7 + 63	29,63,65	29,63,65	I	
Dementia, arteriosclerotic	61 + 69 + 96	11 + 59 + 77	11,61,69,96	61,69,96		NeyGeront® Vital Capsules
Depressive State	69 + 97	11 + 51	11,97,69	29,61,69	I	NeyGeront® Vital Capsules
Dermatitis herpetiformis Dühring	5 + 29 + 47	26 + 55 + 76	47,26,55	61,64,98	I II	Neydin® F
Dermatomycosis	5 + 26 + 29	73 + 76	26,29,73	29,61,65	I	Neydin® M
Dermatomyositis. idiopathic	68 + 29 + 78	3 + 5 + 96	29,68,96	61,63,96	I II	Neydin® F
Dermatosis, allergic	78 + 55 + 65	5 + 20 + 29f	65	29,61,98	I	Neydin® M

	Revitorgan 1st therapeut. step	®-Dilutions 2ndtherapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan Adjuvant Preparations
Developmental disturbance in children	51 + 61 + 96	69 + 73 + 64	64,96	29,64,65		NeyGeront® Vital Capsules
Diabetes insipidus	7 + 51	22 + 63	63,69	61,63,69	I	
Diabetes mellitus	14 + 61 + 78	67 + 29	29,61,67	61,63	I	diabetoSOME® Dilut./Lipos.
Diverticulosis/ diverticulitis	47 + 61	67 + 73	61,47,73	61,64	I	
Drug allergy	78 + 55 + 61	26 + 29	61,29	29,61,65	I	
Dumping Syndrome	23 + 47	61 + 98	61,98,47	61,98		
Duplay's Syndrome	78 + 43	68 + 96	47,68	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Dysmenorrhoea	17 + 55 + 98	51 + 23 + 60	17,98,60	60,61,98		
Dystrophia musculorum	3 + 11 + 22	13 + 29 + 96	3,29,96	61,69,96	I	membranoSOME® Dilutions
Eczema	55 + 29 + 78	5 + 20 + 65	65,29	29,61,98	I	Neydin® M
Eczema, auditory canal	78 + 55	5 + 20	5,78	29,61,98	I	Neydin® M
Eczema impetiginosum	55 + 78 + 26	5 + 20 + 29	47,26,29	29,61,98	I	Neydin® M
Eczema seborrhoicum	78 + 55 + 29	5 + 20 + 61	61,55	29,61,98	I	Neydin® M
Emphysema, obstructive	44 + 55 + 72	2 + 96 + 20	44,96	29,65,96		
Emphysema, geriatric	70 + 64 + 44	2 + 6 + 29	70,64,29	29,69,96		NeyGeront® Vital Capsules
Endangiitis obliterans	72 + 77 + 78	59 + 61 + 20	4,59,61	29,61,65	I	NeyGeront® Vital Capsules

	Revitorgan® Istthera- peut. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP ° I ALLERGO- STOP - II	Revitorgan® Adjuvant Preparations
Endometritis	17 + 29	55 + 65	65,17	29.65.69	I	
Enterocolitis	55 + 61+65	26 + 78	61,65	61.65,98	I	
Enuresis nocturna	23 + 55 + 51	13 + 63 + 98	63,98	63.65.98	I	
Epicondylitis	78 + 43	68 + 96	43.68	29,65,96	I II	NeyArthros® Liposomes
Epididymitis	35 + 73	63 + 55 + 29	35.63,29,50	29,35,61	I	
Epilepsy	11 + 23	96 + 98	11,23,98	69,96,98	I	NeyGeront® Vital Capsules
Episcleritis	58 + 73	29 + 37	29,58	29,61,65	I II	Conjunctisan® B Eye Drops
Epistaxis	55 + 59	61+70	61,59	61.98		
Erythema chronicum migrans	5 + 29 + 65	73 + 76	65,29	29,61,65	I	Neydin® M
Erythema exsudativum multiforme	78 + 55 + 26	5 + 20 + 47	47,26	29,61,98	I II	Neydin® M Neydin® F
Erythema nodosum	5 + 68 + 59	73 + 76	59,68	29,63,65	I	Neydin® F
Erythrasma	5 + 26 + 65	73 + 76	29,65	29,61,65	I	Neydin® M
Fahr's disease	59 + 69 + 11	61+96	11,59,69.96	61,69,97	I	NeyGeront- Vital Capsules
Farmer's lung	78 + 55	65 + 44	47.65	29,61,98	I	
Fatty liver	77 + 59 + 29	20 + 96	96.29,59	29,61,96		Neydin® F
Felty's Syndrome	78 + 43 + 20	61+39 + 96	39,45.29,61	29,61,65	I II	membranoSOME® Dilutions
Fertility disorders	17 + 22 + 19	21 + 60 + 96	17,60,21	60,61,98		

	Revitorgan® Isttherapeut. step	®-Dilutions 2nd therapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP- I ALLERGO-STOP ⁵ II	Revitorgan® Adjuvant Preparations
Fertility disorders	16 + 22 + 29	35 + 26 + 96	16,26,35,50	35,61,98		
Fibrositis Syndrome	78 + 43 + 72	69 + 96	43,68,4, 78	61,65,69	I II	NeyArthros® Liposomes
Furunculosis	5 + 26 + 73	47 + 61	5,73,61	29,61,65	I	NeyGeront® Vital Capsules Neydin® M
Gastroenteritis (allergic)	78 + 55 + 61	47 + 20 + 26	47,26,78	29,61,98	I	
Gingivitis hyperplastica	70 + 10N + 66	55 + 65	65,10,66	61,66,68		NeyParadent® Liposomes Neydent ⁵ Dental Cream
Gingivitis, uiorrhoea	10 N + 29	65 + 73	29,4,10	29,61,64		NeyParadent® Liposomes Neydent® Dental Cream
Glomerulonephritis	70 + 63 + 55	7 + 78 + 29	29,70	61.63.64	I	
Glossitis	29 + 55 + 98	61 + 73	29,55	29,65,98	I	NeyParadent® Liposomes
Glossopyrosis (glossitis)	55 + 69	98 + 73	98.55,61	29,61,98	I	
Gonarthrosis	43 + 78 + 47	68 + 96	47,68	61,69,96	I	NeyArthros® Liposomes
Goodpasture's Syndrome	55 + 63 + 78	7 + 44 + 70	29,70	61,63.64	I	
Gout	7 + 43 + 61	63 + 67 + 68	43,61,63,68	61,63	I II	NeyGeront® Vital Capsules membranoSOME® Dilutions

	Revitorgan® 1stthera- peut. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP-'I ALLERGO- STOP"II	Revitorgan® Adjuvant Preparations
Haemochromatosis	29 + 47 + 14	61+76 + 51	61,47,29	61,29,69		NeyGeront® Vital Capsules
Haemorrhoids	26 + 59 + 73	47 + 61	26,47,73	29,61		Neydin® M
Hamman-Rich Syndrome	44 + 29+78	2 + 73	4,44,29	29,61,65	I	
Hay fever	78 + 55	65 + 29f	65	61,65,96	I	Conjunctisan® B Eye Drops
Hearing loss.sudden	29 + 38 + 77	59 + 69 + 70	15,29,38,69	29,69,96		NeyGeront® Vital Capsules
Heart, geriatric	6 + 61	59 + 96	61,96,59	61,96,97		NeyGeront® Vital Capsules
Heat Urticaria	78 + 55 + 20	5 + 65	65	29,61,98		Neydin® M
Heberden's rheumatism	78 + 43	68 + 96	47,68	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Hepatic cirrhosis, biliary	26 + 78	55 + 61+29	29,47,61	61,65,69	I	
Hepatitis, chronic	14 + 20 + 26	29 + 55 + 61	47,61,29	61,63,65	I	NeyGeront®' Vital Capsules
Herpes Simplex (genitalis, labialis)	5 + 29 + 65	55 + 73	29,65,73	29,65,96	I	Conjunctisan® B Eye Drops Neydin® M
Herpes zoster	5 + 29 + 96	13 + 68 + 73	29,68,73	29,65,96	I	Neydin® M
Hirsutism. idiopathic	17 + 22 + 21	51+60	17,18,60	60,61,29		

	Revitorgan® 1st therapeutic step	@-Dilutions 2nd therapeutic step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP®! ALLERGO-STOP' II	Revitorgan® Adjuvant Preparations
Huntington's Chorea	11 + 23 + 69	96 + 98	11,23,98	29,96, 98	I	NeyGeront® Vital Capsules
Hyperacidity	55 + 98 + 65	51 + 61	61,31,98,65	61,65,98	I	
Hypercholesterolaemia	14 + 26 + 51	30 + 61 + 59	14, 26,61	29,69,97	I	
Hyperhidrosis	5 + 78 + 98	23 + 36 + 63	98,63	29,61,98		
Hyperlipoproteinaemia	14 + 26 + 51	59 + 61	14,26,51,61	29,69,97		
Hypermenorrhoea	55 + 98	21 + 60	48,21,98,55	29,60,98		
Hyperostosis ankylosans vertebralis senilis	78 + 43 + 69	68 + 96	96, 68	61,68,96		NeyGeront® Vital Capsules NeyArthros® Liposomes
Hypertension, essential	6 + 70 + 77	61 + 69	70,61	61,63,96		
Hyperthyroidism	23 + 51 + 30	61 + 98 + 78	61,98	61,65,98	I	
Hyphomycetic allergy	78 + 55 + 29	20 + 5	29,55	29,61,98	I	Neydin® M
Hypomenorrhoea	22 + 17	51 + 60	17,60	29,60,97		
Hypomnesia	69 + 96	11 + 64	11,64,69,96	61,69,97	I	NeyGeront® Vital Capsules
Hypotension	51+71	6 + 69	69,71	29,63,69		NeyGeront® Vital Capsules
Hypothyroidism	30 + 51+61	17 + 20 + 69	61,69	29, 61,60		
Hypothyroidism	30 + 51 + 61	20 + 22 + 69	61,69	29,61,97		
Impaired hearing	11+38 + 59	69 + 96	11,38,96	29,97,98		
Impetigo	78 + 55 + 26	5 + 20 + 29	47,65,29	29,61,98	I	Neydin® M
Impotentiacoecundi	16 + 98	35 + 51	16,98,50,35	61,97,35		NeyGeront® Vital Capsules

	Revitorgar® 1stthera- peut. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP " I ALLERGO- STOP®H	Revitorgar® Adjuvant Preparations
Impotentia generandi	16 + 22 + 29	61 + 35 + 96	16.61,35	61,35,98		
Induratio penis plastica	78 + 5 + 26	61 + 73 + 35	35,73	29,61,35		
Infections, recurrent	65 + 29 + 55	44 + 76 + 73	29,55,65,73	29,61,65		Conjunctisan® B Eye Drops
Intercostal neuralgia	46 + 68 + 98	13 + 23 + 96	96.68.23	29.96.98	I	
Intertrigo	5 + 26 + 71	73 + 76 + 29	5.26.29,73	29,61,98	I	Neydin® M
Intervertebral disk lesion (recurrent prolapseof nucleus pulposus)	43 + 72 + 78	68 + 96	4.96,68	61,68,96		NeyArthros® Liposomes NeyGeront® Vital Capsules
Involution osteoporosis	51 + 43 + 17	68 + 20 + 25	17,68,9,43	29.68,96		
Involution osteoporosis	51 + 43 + 16	68 + 20 + 25	16.68.9,43	29.68.96		
Iridocyclitis	46 + 52 + 73	29 + 58	73,58	29,61,65	I	Conjunctisan® A Eyeurops Conjunctisan® B Eye Drops
Joint chondromatosis	78 + 43 + 47	68 + 96	47,68	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Juvenile kyphosis	78 + 43	68 + 96	68,9,43	61,68,96		NeyGeront® Vital Capsules NeyArthros® Liposomes

	Revitorgan®-Dilutions "Istthera- peut. step 2nd thera- peut. step		SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP® I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Kaplan's Syndrome	78 + 43 + 2	68 + 96 + 44	44,68,55	61,65,69		membranoSOME® Dilutions
Korsakoff's Syndrome	23 + 11 + 61	96 + 98	11,61,98	61,69,98		NeyGeront® Vital Capsules
Labyrinthine deafness	11 + 38 + 59	69 + 96	11,38,96	29,97,98		NeyGeront® Vital Capsules
Liehen ruber planus	78 + 55 + 26	5 + 20	47,26	29,61,98	I	Neydin® F
Livedo racemosa	3 + 77 + 78	59 + 5 + 61	29,59,61	29,61,66	I	Neydin® F
Lumbal spine Syndrome	78 + 43	68 + 96	47,68	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Lupus erythematodes chronicus	78 + 55 + 26	63 + 5 + 20 + 76		29,61,98	I II	Neydin® F
Lupus erythematodes disseminatus	63 + 68 + 78	5 + 55 + 26		61,63,65	I II	Neydin® F
Lymphatic oedema	51+76 + 3	5 + 47 + 63	63,76	61.63.69	I	Neydin® F
Maculardegeneration	11+52 + 59	29 + 58 + 69	11,52,58	61,69,96		Conjunctisan® A Eye Drops
Migraine	69 + 96	68 + 98	98,96	61,98,68	I	

	Revitorgan® Isttherapeut. step	2ndtherapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP II	Revitorgan® Adjuvant Preparations
Morbus Addison	17 + 20 + 51	5 + 6 + 71	29,96	61,64,65		
Morbus Addison	16 + 20 + 51	5 + 6 + 71	29,96	61,64,65		
Morbus Alzheimer	69 + 96	11 + 61 + 64	11,64,96,69	29,64,69		NeyGeront® Vital Capsules
Morbus Basedow	23 + 51	61 + 98 + 78	61.98	61,65,98	I	
Morbus Behcet	29 + 55 + 69	73 + 58 + 68	4,55,29,68	29,68,65	I	NeyParadent® Liposomes
Morbus Bekhterev	78 + 43 + 29	68 + 96	68,29	68,69,96	I II	NeyArthros® Liposomes NeyGeront® Vital Capsules
Morbus Boeck	2 + 70 + 78	29 + 55 + 63	63,29,70	29,65,63	I	
Morbus Crohn	55 + 61 + 65	26 + 78	61,2,65	61,65,69	I	membranoSOME® Dilutionen
Morbus Down	29 + 61 + 69	11 + 96	11,29,69,96	61,69,96		NeyGeront® Vital Capsules
Morbus Forestier	78 + 43 + 29	68 + 96 + 47	47,68,29	61,65,68	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Morbus Meniere	11+23 + 38	54 + 69 + 98	11,54,98	61.69.98	I	
Morbus Parkinson	69 + 97N + 54	11 + 61 + 98	11,97,98	61,69,97	I	NeyGeront® Vital Capsules
Morbus Reiter	78 + 55 + 43	68 + 96 + 63	55,68,63	65,29,35	I n	NeyArthros® Liposomes NeyGeront® Vital Capsules Conjunctisan® B

	Revitorgan® "Isttherapeut. step	®-Dilutions 2nd therapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP* I ALLERGO-STOP « II	Revitorgan® Adjuvant Preparations
Morbus Scheuermann	78 + 43	68 + 96	47.68,43	61,68,96	I II	NeyArthros® Liposomes
Morbus Sudeck	26 + 5 + 43	68 + 96 + 77	96,43,68	29,68,97	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Morbus Wilson	78 + 55 + 26	5 + 20	47,26	29,61,98	I	
Mucoviscidosis	14 + 2 + 26	29 + 55 + 61	29,47,61	29,61,65		
Multiple Sclerosis	69 + 96	11 + 13 pot. I		65,69,96	I	
Muscularatrophy (-dystrophy) myogenic or neurogenic	3 + 11+22	13 + 29 + 96	3,29,96	61,69,96	I	NeyGeront® Vital Capsules
Muscular rheumatism	78 + 43	68 + 96	47,68	61,69,96	I II	NeyArthros® Liposomes
Myasthenia gravis	3 + 78 + 22	13 + 29f + 96	3,29,96	29,69,96	I	
Mycosis interdigitalis	5 + 29	73 + 76	5, 29,73	29,61,65		Neydin® M
Narcolepsy	98 + 51 + 11	97 + 36 + 61	98,11,61	61,98,96	I	NeyGeront® Vital Capsules
Neuritis nervi optici (noM.S.)	11 + 29 + 58	52 + 26 + 69	11,52,58,29	29,65,69	I poss. II	Conjunctisan® A Eye Drops Conjunctisan® B Eye Drops
Neurodermitis atopica	78 + 55 + 29f	5 + 20 + 65	65,29f	29,65,98	I	Neydin® M

	Revitorgan "Istthera- peut. step	Dilutions 2nd thera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP® I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Non-articular rheumatism	78 + 43	68 + 96	96,68	61,69,96	I II	NeyArthros® Liposomes
Nutritional allergy	78 + 55 + 61	47 + 26 + 29	47, 26, 29	29,61,98	I	
Oligomenorrhoea	17 + 51	21 + 55	17,55	29,60,61		
Optic atrophy	11 + 52 + 59	29 + 58 + 69	11,52,58	61,69,96	poss. I	Conjunctisan® A Eye Drops
Orthostase circulatory regulation, disturbed	6 + 59 + 71	51+96	71,51,96	63,69,96		
Osteochondrophia deformans juvenilis	78 + 43	68 + 96	68,9,43	29,61,68		
Osteochondrosis	78 + 43	68 + 96	47,68	61,69,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Osteomyelitis	77 + 29 + 96	73 + 71 + 39	73,9,29	29,61,65	I	membranoSOME® Dilutions NeyArthros® Liposomes
Osteoporosis, primary,	78 + 43 + 17	68 + 20 + 25	17,68,9	29.68.96		NeyArthros® Liposomes
Osteoporosis, primary,	78 + 43 + 51	68 + 20 + 25	68,9	29.68.96		NeyArthros® Liposomes
Ovarian insufficiency	17 + 51	21 + 71	21,17	60.61.97	poss. I	

	Revitorgan®-Isttherapeut. step	-Dilutions 2ndtherapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan® Adjuvant Preparations
Panarthritis nodosa	29 + 61 + 59	47 + 63 + 96	61,29,96	61,63,29	I II	Neydin® F
Paralysis (flaccid)	69 + 96	13 + 3	3,69,96	69,96,97		
Paralysis (spastic)	69 + 96 + 98	13 + 23 + 46	96,98,46	69,96,98		
Pemphigus vulgaris	78 + 5 + 61	20 + 55 + 65	65,29	61,29,98		Neydin® M
Periarthritis coxae	78 + 43	68 + 96	47,68	61,69,96	I poss. II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Periodontitis	10N + 55 + 68	29 + 43 + 65	10,65	61,65,68	I	NeyParadent® Liposomes Neydent® Dental Cream
Pick's convolution atrophy	69 + 96 + 97	11 + 61 + 64	11,96,64,97	29,64,69		
Pityriasis rosea	78 + 55 + 26	5 + 20 + 73	47,26,73	29,61,65	I	Neydin® M
Pityriasis versicolor	5 + 26 + 98	73 + 76 + 29	26,29,73	29,61,65	I	Neydin® M
Pneumonia, recurrent	29 + 55 + 76	44 + 47 + 73	44,47, 73	29,61,65	I	Conjunctisan® B Jye Drops
Polyallergy	78 + 55 + 5	20 + 44 + 29	-	29,61,98	I	
Polyarthritis, chronic (c.R)	78 + 43	68 + 96	47, 68	61,68,69	I II	NeyArthros® Liposomes
Polymenorrhoea	17 + 55 + 70	23 + 51 + 98	17,98	60,61,98		
Polymyalgia rheumatica	78 + 43 + 3	68 + 96 + 29	47,68,29	61,68,98	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes

	Revitorgan® "Istthera- peut. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Polymyositis	29 + 68 + 3	78 + 6 + 96	29,68,96	61,96,63	I II	
Polyneuropathy, infection-induced	29 + 13 + 3	73 + 69 + 96	3,96,73	29,61,68	I	
Polyneuropathy, toxically induced	26 + 13 + 3	61 + 69 + 96	3,26,96	29,61,68	I	
Postmenopausal Syndrome	17 + 69 + 5	60 + 51+55	18,17,60	60,61,69		NeyGeront® Vital Capsules
Presbyacusis	11+38 + 58	69 + 96	11,38,69	29,97,98		NeyGeront® Vital Capsules
Progeria	29 + 96 + 64	5 + 69	29,96,69	29,64,96		NeyGeront® Vital Capsules
Prostatitis	35 + 73 + 63	24 + 55 + 29	35,63,29	29,35,61	I	
Psoriasis arthropathica	78 + 43 + 55	5 + 29 + 68	68, 29,65	61,65,69	I II	membranoSOME® Dilutions NeyArthros® Liposomes Neydin® M
Psoriasis vulgaris	78 + 55 + 29	5 + 20 + 61	61,29	29,61,98	I	Neydin® M
Pulmonary fibrosis, diffuse, interstitial	44 + 26 + 78	2 + 73	4,61,44	29,61,65	I	
Pulpitis, acute or chronic	78 + 10 N	65 + 96	10,65	65,29,98	I	NeyParadent® Liposomes Neydent® Dental Cream
Pyelonephritis, Pyelitis, recurrent	63 + 55 + 29	7 + 78 + 70	29,70	61,63,64	I	

	Revitorgan®-Dilutions 1sttherapeut. step	2ndtherapeut. step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan® Adjuvant Preparations
Radiation-induced enteritis	55 + 61 + 29	47 + 26	47,29,26	61,65	I	NeyGeront® Vital Capsules
Raynaud's disease	51 + 77 + 73	61 + 59 + 3	59,61,73	61,64	I II	NeyGeront® Vital Capsules
Reichel's Syndrome	78 + 43 + 47	68 + 96	47,68	61,69,96		Neydin® F
Reiter's disease	78 + 55 + 43	68 + 96 + 63	55,68,63	29,35,65	I II	NeyArthros® Liposomes
Renal insufficiency	63 + 55 + 70	7 + 78 + 64	63,64	61,63,64	I poss. II	NeyArthros® Conjunctisan® B Eye Drops
Retinopathia diabetica	11 + 67 + 52	29 + 58 + 69	11,52,58,67	29,61,69	I	Conjunctisan® A Eye Drops
Retinopathia pigmentosa	11 + 52 + 59	29 + 58 + 69	11,52,15,58	61,69,96	I	Conjunctisan® A Eye Drops
Retrobulbar neuritis (no M.S.)	11 + 29 + 58	52 + 69	11,52,29,58	29,61,69	I	Conjunctisan® A Eye Drops
Retropatellar arthrosis	78 + 43 + 47	68 + 96	47,68	61,69,96	I II	NeyArthros® Liposomes
Revitalisation in the case of allergic disposition	69 + 96	29f + 26	69,96,29t	69,96,61	I	NeyGeront® Vital Capsules

	Revitorgan® 1stthera- peut. step	®-Dilutions 2ndthera- peut. step	SOL Prepara- tions or Dry Substances	Lingual Prepara- tions	ALLERGO- STOP" I ALLERGO- STOP®II	Revitorgan® Adjuvant Preparations
Revitalisation in the case of bronchial asthma	69 + 96	44 + 20	69,96,44	69,96,29	I	NeyGeront® Vital Capsules
Revitalisation in the case of cardiac insufficiency	69 + 96	6 + 61	69,96,6	69,96,61		NeyGeront® Vital Capsules
Revitalisation in the case of cerebral insufficiency	69 + 96	11 + 59	69,96,11	69,96,97		NeyGeront® Vital Capsules
Revitalisation in the case of existing hypertension	69 + 96	70 + 59	69,96,70	69,63,61		NeyGeront® Vital Capsules
Revitalisation in the case of eye diseases	69 + 58	96 + 52	69,96,58	69,96,64	I	Conjunctisan® A Eye Drops NeyGeront® Vital Capsules
Revitalisation in the case of impaired hearing	69 + 96	38 + 77	69,96,38	69,96, 64		NeyGeront® Vital Capsules
Revitalisation in the case of indigestion	69 + 96	61 + 55	69,96,61	69,96, 61	I	NeyGeront® Vital Capsules
Revitalisation in the case Morbus Parkinson	69 + 96	97 + 54	69,96,97	69,96,97		NeyGeront® Vital Capsules
Revitalisation in the case of non-allergic skin affections	69 + 96	5 + 73	69,96,5	69,96,65	I	NeyGeront® Vital Capsules Neydin® M Neydin® F

	Revitorgan® 1stthera- peut. step	®-Dilutions 2nd thera- peut. step	SOL Prepara- tions orDry Substances	Lingual Prepara- tions	ALLERGO- STOP® I ALLERGO- STOP® II	Revitorgan® Adjuvant Preparations
Revitalisation in the case of tendency to infections of urinary tract	69 + 96	7 + 63	69,96,63	69,96,63	I	NeyGeront® Vital Capsules
Revitalisation in the case of tendency to hypertension	69 + 96	71 + 51	69,96, 71	69,96,97		NeyGeront® Vital Capsules
Revitalisation in the case of tendency to infections	69 + 96	44 + 73	69,96,73	69,96,29		NeyGeront® Vital Capsules
Revitalisation in the case of tendency to rheumatic symptoms	69 + 96	68 + 43	69,96,68	69,96, 68	I II	NeyGeront® Vital Capsules NeyArthros® Liposome
Revitalisation in the case of unrest/insomnia	69 + 23	96 + 98	69,96,98	69,96,98		NeyGeront® Vital Capsules
Rhinitis allergica	78 + 55	65 + 29f	65	61,65,96	I	Conjunctisan® B Eye Drops
Rhizo-arthritis	78 + 43	68 + 96	47,68	61,69,96	I II	NeyArthros® Liposomes
Rosacea	70 + 5 + 61	55 + 29 + 76	61,55	29,96,97	I	Neydin® M
Sarcoidosis	2 + 70 + 78	29 + 55 + 63	29,70,63	29, 65,63	I	
Scleroderma	5 + 55 + 78	29 + 70 + 96	55,96,29	61,65,29	I	Neydin® F
Senile dementia	69 + 96 + 64	11+61 +97	11,96,64,97	29,64, 69		NeyGeront® Vital Capsules
Sheehan's Syndrome	17 + 20 + 22	18 + 30 + 51	22,17,51	60,61,69	poss.I	

	Revitorgan [®] - Dilutions		SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP [®] I ALLERGO-STOP [®] II	Revitorgan [®] Adjuvant Preparations
	1st therapeutic step	2nd therapeutic step				
Shingles	5 + 29 + 96	13 + 68 + 73	29, 68, 73	29, 65, 96	I	Neydin [®] M
Silicosis	44 + 73 + 6	2 + 96 + 29	44, 73, 96	29, 65, 69	I	
Sjögren's syndrome	78 + 43 + 55	68 + 61 + 51	47, 68, 55, 61	29, 63, 69		NeyArthros [®] Liposomes
Spondylarthrosis	78 + 43	68 + 96	47, 68	61, 69, 96	I II	NeyGeront [®] Vital Capsules NeyArthros [®] Liposomes
Spondylitis ankylopoietica (HLA - B 27)	78 + 43 + 29	68 + 96	68, 29	61, 69, 96	I II	NeyArthros [®] Liposomes NeyGeront [®] Vital Capsules
Sprue, non-tropical	78 + 29 + 61	55 + 39 + 20	61, 29, 55	29, 61	poss. I	
State of agitation	23 + 69	36 + 98	23, 98	29, 69, 98	I	
State of exhaustion	69 + 64	29 + 96	29, 64, 69	29, 61, 97		NeyGeront [®] Vital Capsules
Sterility	17 + 22 + 29	21 + 61 + 96	17, 61, 60	61, 60, 98		
Sterility	16 + 22 + 29	35 + 61 + 96	16, 61, 35	61, 35, 98		
Still's disease	78 + 43 + 20	68 + 47 + 39	-	29, 61, 65	I II	NeyArthros [®] Liposomes
Stomatitis aphthosa	29 + 55	65 + 73	29, 73, 65	29, 64, 65	I	NeyParadent [®] Liposomes Neydent [®] Dental Cream
Striae distensae	5 + 72	73 + 96	5, 71	29, 61, 96		NeyGeront [®] Vital Capsules Neydin [®] F

	Revitorgan® 1st therapeutic step	®-Dilutions 2nd therapeutic step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP [®] I ALLERGO-STOP [®] II	Revitorgan® Adjuvant Preparations
Stroke	11+59 + 70	29 + 96 + 97	96,97,59,70	61,96,97		NeyGeront® Vital Capsules
Suppurative fistulae, chronic	76 + 65	47 + 73	65,73	29,61,96	I	
Supraventricular extrasystoles	6 + 23 + 26	96 + 59 + 70	15,23,96,26	61,63,96		
Systemema	23 + 3 + 61	98 + 71	98,61	29,98		
Tendovaginitis	78 + 43 + 47	68 + 65 + 96	47,68	29,65,96	I poss. II	NeyArthros® Liposomes
Thoracic outlet Syndrome	78 + 43	68 + 96	96,68	61,68,96	I II	NeyGeront® Vital Capsules NeyArthros® Liposomes
Thrombangiitis obliterans	29 + 77 + 78	20 + 61 + 59	61,59	29,61,66	I	NeyGeront® Vital Capsules Neydin® F
Thyroiditis, auto-immune	78 + 30 + 76	29f + 20 + 26	-	29,61,96	I II	
Tinnitus	23 + 11+54	38 + 59 + 98	38,11,98	29,69, 98		
Tonsillitis, chronic	29 + 55 + 96	73 + 76	29,96,55	29,65	I	
Trichophytosis barbae	5 + 26 + 29	73 + 76	26,29,73	29,61,65	I	Neydin® M
Tumour	66 + 26	66 + 26	66,26	66		Further information available upon request

	Revitorgan® - Dilutions		SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan® Adjuvant Preparations
	1st therapeut. step	2nd therapeut. step				
U						
Ulcus cruris	96 + 5	72 + 59	96, 41	96, 61, 29		
Ulcus ventriculi aut duodeni	55 + 23 + 20	61 + 98 + 47	23, 31, 47	29, 61, 98	I	
Urticaria, chronic	78 + 55 + 20	5 + 65	65, 78	29, 61, 98	I	Neydin® F
V						
Vaginal mycosis	5 + 55	73 + 76 + 17	17, 73, 55	29, 61, 65	I	
Varicosis	59 + 76	63 + 96	63, 59	63, 96, 97		Neydin® F
Ventricular extrasystoles	6 + 23 + 36	59 + 70 + 96	96, 23, 6	61, 63, 96		
Vitiligo, idiopathic	65 + 55 + 61	5 + 20 + 51	61, 65, 55	29, 61, 98	I	Neydin® F
Vitreous opacity	61 + 75	40 + 58 + 11	61, 58	29, 61, 63		Conjunctisan® A Eye Drops
W						
Weakness of the spinal column	78 + 43	68 + 96	96, 68	61, 69, 96		NeyGeront® Vital Capsules NeyArthros® Liposomes
Wegener's granulomatosis	7 + 44 + 59	55 + 63 + 68	59, 68, 55	29, 61, 65	I II	
Winiwarter-Buerger's disease	29 + 77 + 78	20 + 61 + 59	61, 59	29, 61, 66	I	Neydin® F

	Revitorgan® 1st therapeutic step	Revitorgan®-Dilutions 2nd therapeutic step	SOL Preparations or Dry Substances	Lingual Preparations	ALLERGO-STOP® I ALLERGO-STOP® II	Revitorgan® Adjuvant Preparations
Yellow body insuvviciency	17 + 51+60	21 + 71	48,21,60	60,61,96		
Zona	5 + 29 + 96	13 + 68 + 73	29,68,73	29,65.96	I	Neydin® M

The scientific advisory service of vitOrgan Pharmaceuticals Ltd will answer any therapy-related questions by phone (0711/44812-21 and 44812-38) or in writing.

The following pages show the basic plan of a suggested therapy. This plan can be adjusted to your individual requirements if you provide data of anamnesis, diagnosis, previous treatment, etc. via a table of haematological values, form C, or simply in a letter.

Therapy-related advice may also be obtained by requesting a computer-elaborated list of suggestions for treatment. The forms required are available upon request.

We would also like to draw your attention to numerous refresher and further education events like congresses, round table discussions, informative exhibitions, etc.

Again, documents are available upon request.

EXAMPLE OF A THERAPY PLAN

Therapy Plan


Attending physician:

Patient:

Sex:

Diagnosis:

Age:

Day of treatment	viOrgan fractions	ALLERGOSTOP® I (corticosteroid fraction)	viOrgan (lingual)	viOrgan dry substance or SOL preparations	
1	2 ml each I + I	Intracutaneous injections as weeks 	Set 10-16 x		
2					
3	2 ml each I + I		Set 15-20 x		
4					
5	2 ml each I + I				
8	2 ml each I + I				
9				Set 15-20 x	
10	2 ml each II + II				
11					
12	2 ml each II + II				
15	2 ml each II + II				
16				etc. oral injection - free days and as follow-up treatment 3 x daily 10-20 drops	
17	2 ml each II + II				
18					
19	2 ml each III + III				
22	2 ml each III + III				
23				oral	
24			0.2 ml 10 ⁻¹⁶		
25					
26			0.4 ml 10 ⁻¹⁶		
29			0.2 ml 10 ⁻¹⁷		
30					
31		0.4 ml 10 ⁻¹⁷			

32						
33	if ALLERGOSTOP [®] †		0,2 ml 10 ⁻³			
36	is not administered,		0,4 ml 10 ⁰			
37	the dry substances of					
38	SOL preparations					
39	are i.v. injected directly		0,2 ml 10 ⁰			
40	after dilution treatment					
43			0,4 ml 10 ⁰			
44						
45						
46			0,2 ml 10 ⁻⁴			
47						
50			0,4 ml 10 ⁻¹			2 ml i.m.
51						
52			repeat admin.			1 single i.m.
53			of last dosage			dose at the end
54			if necessary			of treatment
57						
58						
59	To simplify matters, the compounds whose names,					
60	composition and range of indication are given in the list					
61	of compounds, are marked with numbers.					
64						
65						
66						
67						
68						
71						
72						
73						
74						

BASIC THERAPY PROGRAMME



	Treatment schedule	Degree of dilution ALLERGOSTOP®I		Volume
I	1st	10^{+12}	yellow label	0.2 ml
	2nd	10^{+12}	yellow label	0.4 ml
	3rd	10^{-10}	yellow label	0.2 ml
	4th	10^{-10}	yellow label	0.4 ml
	5th	10^{+8}	yellow label	0.2 ml
	6th	10^{+8}	yellow label	0.4 ml
	7th	10^{+6}	yellow label	0.2 ml
	8th	10^{+6}	yellow label	0.4 ml
	9th	10^{+4}	red label	0.2 ml
	10th	10^{+4}	red label	0.4 ml

Injections every 2 days, injection dates may vary by 1 - 3 days (at the week-end, for instance). Repeated admin. of last dosage, if necessary.

This is to be followed by a dilution and SOL treatment.

NB.: ALLERGOSTOP " I never to be injected i.v.

STOCK SOLUTION not injectable.

Dilution degree 10^2 to be used only if expressly stated in therapy proposed.

BASIC THERAPY PROGRAMME

ALLERGOSTOP® II (Hydrolysate = Hy) Treatment following dilution treatment)	Treatment- schedule	Degreeofdilution ALLERGOSTOP® II		Volume
	1st	1 :100	green label	
2nd	1: 50	green label		5 ml
3rd	1: 20	green label		5 ml
4th	1: 10	green label		5 ml
5th	1 : 5	green label		2 ml
6th	1: 5	green label		5 ml
7th	1 : 3	green label		2 ml
8th	1 : 3	green label		5 ml
9th	1: 1	green label		2 ml
10th	1: 1	green label		5 ml
11th	Hy-Concentrate	green label		2 ml
12th	Hy-Concentrate	green label		5 ml

Daily injections,
injection dates may
vary by 1 - 3 days
(at week-ends, for
example).

Explanation of Abbreviations:

vitOrgan Preparations are available in the following formulations:

- T = Revitorgan® Dry substances
 S = Revitorgan® SOL-Preparations
 D = Revitorgan® Dilutions
 L = Revitorgan® Lingual Preparations
 Lp. = Revitorgan® Liposome Preparations

No.	Preparation	Composition	Origin	Avail. as
1	Hepar	–	fet.	T
2	Pulmo	–	fet.	T, D
3	Musculi	–	fet.	T, D
4	Mesenchyma	–	fet.	T
5	NeyPsorin [®]	Cutis	fet.	S, D
6	NeyCorenar [®]	Cor	fet.	S, D
7	Lien	–	fet.	T, D
8	Lien	–	fet.	T, D
9	Periosteum	–	fet./juv.	T
10	NeyPulpin [®]	Crista dentalis, diencephalon, placenta	fet. juv. mat.	T
10 «N»	NeyPulpin [®] «N»	Same as 10; additionally: methenolone acetate, tetra- caine, vit. C, vit. E	– –	D
11	Cerebrum	–	fet.	T, D
12	Diencephalon	–	fet.	T
13	Medulla oblongata, medulla spinalis	–	fet.	T, D
14	Pancreas	–	fet.	T, D
15	Placenta	–	fet./mat.	T
16	NeySexan [®]	Testes with spermatogenesis	juv.	S, D
17	Follikulinorm [®]	Follicle Corpus luteum	juv. juv.	T, D
18	Ovarium	Follicle	juv.	T

No.	Preparation	Composition	Origin	Avail. as.	No.	Preparation	Composition	Origin	Avail. as.
19	Testes	without Spermatogenesis	juv.	T, D	35	NeyMan [®]	Ren, medulla spinalis, testes, prostata, corpus cavernosum, gland. vesiculosae, mucosa vesic. urin., cor. aorta, vasa sang., placenta, hepar, lien, pancreas, gland. supraren., thyriud, diencephalon, cerebrum	fet./juv./mat.	S, D
20	Glandula suprarenalis	—	juv.	T, D	35 -N [®]	NeyMan [®] -N-	Same as 35; additionally: vit. E, vit. B 1, vit. B 2, vit. B 6, vit. B 12, pantothenyl alcohol, nicotinamide, biotin, yohimbine	—	D, L
21	Ovarium	Corpus luteum	juv.	T, D					
22	Reviolan [®]	Hypophysis	juv.	T, D					
23	Epiphysis	Epiphysis	juv.	T, D					
24	Prostata	—	juv.	T, D					
25	Glandula parathyreoides	—	juv.	D					
26	NeyFegan [®]	Hepar	fet./juv.	S, D					
27	Ren	—	fet./juv.	T					
28	Lien	—	fet./juv.	T, D					
29 ^a	Neythymun [®] f + k	Thymus	fet./juv.	S, D					
29 ^f	Neythymun [®] f	Thymus	fet.	S, D					
29 ^k	Neythymun [®] k	Thymus	juv.	S, D, L					
30	Glandula thyreoides	—	juv.	T, D					
31	NeyGastrin [®]	Mucosa ventriculi	fet.	T	36	Diencephalon	—	fet./juv.	T, D
32	Mucosa intest. tenuis	—	fet.	T	37	Cornea	—	juv.	T, D
33	Mucosa intest. crassi	—	fet.	T	38	Auris interna	—	fet.	T, D
34	Mucosa vesicae urinae	—	fet.	T	39	NeyHaemin [®]	Medulla ossium	fet./juv.	S, D
					40	Lens	—	juv.	T, D
					41	Aorta	—	juv.	T
					42	Cor-ren-aorta	—	fet./juv.	T
					43	NeyArthros [®]	Joints	fet.	S, D, L.p.
					44	NeyBronchin [®]	Pulmo, thymus	fet./juv.	T, D
					45	NeyLien [®]	Hepar, lien	fet./juv.	T

In the list of treatments proposed, Neythymun® f + k (29 f + k) is referred to only as 29.

No.	Preparation	Composition	Origin	Avail. as	No.	Preparation	Composition	Origin	Avail. as
46	Arachnoidea, Plexus chorioideus, liquor cerebrospinalis		juv.	T, D	56	Mamma lactans	-	juv.	T
47	NeyDigest®	IVlucosa intest, tenuis, IVlucosa intest, crassi	fet.	S, D	58	NeyOphtin®	Bulbus oculi	fet.	S, D
48	Ovarfollicel corpus luteum	-	juv.	T	59	Vasae sang.	-	fet.	T, D
49	Corpus luteum testes without spermatogenesis		juv.	T	60	NeyFam®	Corpus luteum, testes, gland. supraren., hepar, lien, pancreas, mamma lactans, gland. parathyreoidea	fet./juv.	S, D, L
50	Gland. vesiculosae. corpus cavernosum. epididymis		juv.	T	61	FegaCoren®	Hepar, pancreas, thymus, lien, cor, ren, aorta, gland. supraren., mucosa intestinal., amnion. testes, thyreoidea, diencephalon	fet./juv.	S, D
51	Hypophysisdiencephalon	-	juv.	T, D	61	FegaCoren »N«	Same as 61; additionally: metenolone acetate, prednisolone acetate. liothyronine • HCl, vit. E. vit. B 6, vit. B12		D, L
52	Retina, chorioidea, nervus opticus		fet.	T, D					
53	IVlucosa vesicae felleae	—	juv.	T, D					
54	Cerebellum		JUV.	T, D					
55	NeyFaexan®	Mucosa vesicae urin., mucosa intest. tenuis, mucosa intest. crassi, mucosa vesicae felleae, mucosa nasopharyngialis	fet./juv.	T, D					

No.	Preparation	Composition	Origin	Avail. as	No.	Preparation	Composition	Origin	Avail. as
62	Cor, ren, aorta, hepar, lien, pancreas, amnion, testes, thyroidea, diencephaion		fet./juv.	T	64 »N«	NeyGeront® »N«	Same as 64; additionally: heparin, methenolone acetate, liothyronine • HCl, Procaine • HCl.		D, L
63	NeyNephrin®	Ren, mucosavesc. urin., cor, aorta, vasae, placenta, hepar, lien, pancreas, gland. suprarenal., thyroidea, diencephaion	fet./juv.	S, D			vit. E, vit. B 6, vit. B12		
					65	NeyNormin®	Thymus, gland. suprarenal., gland. parathyroidea, lymphonodi, ren. hepar, pancreas, lien. vasae.	fet./juv.	S, D
63 »N«	NeyNephrin® »N«	Same as 63; additionally: metenolone acetate, prednisolonacetat, liothyronine • HCl, vit. E, vit. B 6		D, L			funiculus umbilical., hypophysis, diencephaion, mucosa miscae, cutis, medulla ossium		
64	NeyGeront®	Embryo, placenta, amnionjunculus umbilical.. cor, ren pancreas, mucosa intestinal., lien thymus, gland. suprarenal., gland. parathyroidea, testes, hypophysis diencephaion, cerebrum	fet./juv.	S, D capsules					
					65 »N«	NeyNormin »N«	Same as 65; additionally: liothyronine • HCl, oestradiol benzoate, gonadotropinum chorionicum, prednisolone-21 -acetate, vit. B12, vit. E		D, L

No.	Preparation	Composition	Origin	Avail. as	No.	Preparation	Composition	Origin	Avail. as
66	NeyTumorin®	Diencephalon, placenta, funiculus umbilical, thymus, testes, gland, suprarenal., thyroidea, medulla ossium, pulmo, hepar, pancreas, ren, lien, mucosa intestinal	fet./juv.	S, D	68	NeyChondrin®	Thymus, hypophysis, diencephalon, medulla spinal., gland, suprarenal., testes, hepar, pancreas, muscoli, columna vertebral., joints, ren, placenta, nucleus pulp.	fet./juv.	S, D
66	NeyTumorin®	Combin. pack	- - -	D, S	68	NeyChondrin® -N-	Same as 68, additionally: metenolone acetate, procaine -HCl, vit. E	- - -	D, L
66	-N- NeyTumorin®	Same as 66; additionally: methenolone acetate, liothyronin -HCl, prednisolone acetate, vit. E, vit. B 12	- - -	D, L	69	AntiFocal®	Diencephalon, cerebellum, cerebrum, medulla spinal., hepar, pancreas, lien, thyroidea, thymus, placenta, mucosae misc.	fet./juv.	S, D
67	NeyGluc®	Testes, corpus luteus, thymus, lien, pancreas, epiphysis, placenta, hepar, ren, mucosa intestinal, medulla oss., muscoli, cor, cerebrum, diencephalon	fet./juv.	S, D	69	-N- AntiFocal® -N-	Same as 69; additionally: metenolone acetat, liothyronin -HCl, gonadotropinum chorionicum, vit. B 6, vit. B 12	- - -	D, L

No.	Preparation	Composition	Origin	Avail. as	No.	Preparation	Composition	Origin	Avail. as
70	Placenta	-	mat.	T, D	97	NeyDop [®] «N»	Same as 97; additionally: vit. C, L-dopa, lithium chloride	-,-,-	D
70	Placenta (5 ml)	-	mat.	D					
71	Placenta	-	fet.	T, D	98	NeyCalm [®]	Cerebrum, diencephalon, epiphysis, placenta	fet./juv.	S, D, L
72	Funiculus umbilicalis	-	fet.	T, D					
73	Neyimmun [®]	Funiculus umbilicalis, thymus, placenta	fet./juv.	S, D		membranoSOME [®]	Placenta, hepar, mucosa intestinal, trace elements incorporated in liposomes from lecithin and cholesterol, emulgated in aqueous NaCl solution from thymus, gland. lymph., lien, procaine · HCl and Na-lauryl sulphate	fet./juv.	D
74	Amnion	-	fet.	T					
75	Corpus vitreum	-	juv.	D					
76	Lymphonodi	-	juv.	T, D					
77	NeySanguin [®]	Lien, medulla ossium, cellulæ sang.	fet./juv.	D					
78	NeyDesib [®]	Lien, thymus, gland. supraren., lymphonodi	fet./juv.	S, D					
96	NeyTroph [®]	Musculi, cor, cerebrum, medulla spinal., thymus, diencephalon, epiphysis	fet./juv.	S, D, L		diabetoSOME [®]	Pancreas and trace elements, glucose solution incorporated in liposomes from lecithin and cholesterol, emulgated in physiological saline with procaine · HCl and Na-lauryl sulphate admixed	juv.	D, Lp.
97	NeyDop [®]	Cerebrum, placenta, diencephalon, cerebellum	fet./juv.	S, D, L					

Composition of Preparations

Conjunctisan® A Eye Drops (20 x 0.5 ml)

Bulbus oculi, vasae, placenta, retina, nerv. optic., chorioidea, corp. vitreum, cerebrum, diencephalon, desacetyl-ianatosid C, aesculin, sodium lauryl sulphate, glycerin, 0.7% saline solution.

Conjunctisan® A Eye Drops

Economy size pack (90 x 0.5 ml)

Conjunctisan® B Eye Drops (20 x 0.5 ml)

Cornea, conjunctiva, mucosa naso-pharyngealis, thymus, lien, lymphonodi, gland. suprarenal., placenta, retina, nerv. optic., chorioidea, lens, corp. vitreum, cerebrum, diencephalon, aesculin, sodium lauryl sulphate, glycerin, 0.7% saline solution.

NeyParadent®-Liposomes (15 ml)

Crista dentata, mucosa oralis, placenta, diencephalon, metenolone acetate, vitamin E, tetracaine hydrochloride, soybean lecithin, cholesterol, sodium salicylate, vitamin C, extract. Chamomillae aq. sicc., extract. arnicae aq. sicc., Tinct. Myrrhae, sodium lauryl sulphate, aqua marina ad.

NeyGeront® Vital Capsules (42 Kapseln)

Embryo, placenta, amnion, funiculus umbilicalis, cor, pancreas, mucosa intestinalis, lien, thymus, gland. suprarenal., gland. parathyroid., testes, diencephalon, ovarium, hypophysis, cerebrum, hepar, heparin, L-glutamic acid, metenolone acetate, liothyronine HCl, vitamin E, vitamin B 12, vitamin B 6, procain HCl.

NeyGeront® Vital Capsules

Hospital pack (6 x 21 capsules)

Neydin® F Ointment (50 ml)

Placenta, ovarium, cutis, amnion, hepar, gland. suprarenal., liquor amnii, faex medicinalis.

Neydin® M Ointment (50 ml)

Placenta, testes, cutis, amnion, hepar, gland. suprarenal., liquor amnii, faex medicinalis.

EXAMPLE OF A THERAPY WITH ONLY ONE PREPERATION

Mon	-	1st day	3amp.	NeyTumorin® pro inj.	pot. I	s.c. ori.m.ori.v.
Tue	-	2nd day	3amp.	NeyTumorin® pro inj.	pot. I	s.c. ori.m.ori.v.
Wed	-	3rd day	3amp.	NeyTumorin® pro inj.	pot. II	s.c. ori.m.ori.v.
Thür	-	4th day	3amp.	NeyTumorin® pro inj.	pot. II	s.c. ori.m.ori.v.
Fri	-	5th day	3amp.	NeyTumorin® pro inj.	pot. III	s.c. ori.m.ori.v.
Sat	-	6th day				
Sun	-	7th day				
Mon	-	8th day	1 vial	NeyTumorin®-SOL		i.m.ori.v.
Tue	-	9th day				
Wed	-	10th day				
Thür	-	11th day	2 vials	NeyTumorin®-SOL		i.m.ori.v.
Fri	-	12th day				
Sat	-	13th day				
Sun	-	14th day				
Mon	-	15th day	2 vials	NeyTumorin®-SOL		i.m. ori.v.
Tue	-	16th day				
Wed	-	17th day				
Thür	-	18th day				
Fri	-	19th day	2 vials	NeyTumorin®-SOL		i.m.ori.v.

Preparations for regenerative beauty culture produced by REGENA NEY COSMETIC Ltd.
P.O.Box 42 40, W-7302 Ostfildern 1 (Ruit), Telephone (07 11) 4 48 12-0

Neydent[®] Dental Cream (50 ml)

Crista dentalis, amnion, funiculus umbilicalis, mucosa misc., placenta, diencephalon, liquor amnii, faex medicinalis, vitamin C.

Neyskin[®] B Cream	(50 ml)	For basic skin regeneration.
Neyskin[®] Cutana	(50 ml)	Basic Gel for dry and sensitive skin.
Neyskin[®] T Cream	(50 ml)	For dry and sensitive skin.
Neysun[®] Sun Cream	(50 ml)	For suntan + regeneration of the skin.
New Neyskin[®] Day		For basic regeneration of the skin.
New Neyskin[®] Night		To regenerate and stimulate the resistance of dry and sensitive skin.
New Neyskin[®] Cutana		Basic Gel for dry and sensitive skin. Increasms the effect of New Neyskin Day and Night.
New Neysun[®]		Moisturizing geatle sun protection factor 10.

NOTICE:



vitOrgan Pharmaceuticals Ltd.

**P.O.Box 4240 · W-7302 Ostfildern 1 (Germany) · Telephone (07 11) 4 48 12-0
Telex 722573 vit d · Telefax (07 11) 4 48 12 41**